



Test Driven Development of Scientific Models

SEA Conference - April 7-11, 2014
Boulder, CO

Tom Clune

Advanced Software Technology Group
Computational and Information Sciences and Technology Office
NASA Goddard Space Flight Center

Outline



- 1 Motivations
- 2 Testing
- 3 Testing Frameworks
- 4 Test-driven Development (TDD)
- 5 What about numerical software?

Motivation 1: Fear/Stress




Motivation 1: Fear/Stress



photomatt7.wordpress.com

Motivation 1: Fear/Stress



photomatt7.wordpress.com




www.cartoonstock.com

Motivation 1: Fear/Stress



Calvin & Hobbes - Bill Waterson


Motivation 2: Productivity



Motivation 2: Productivity




- New feature
- Refactor



Motivation 2: Productivity




- New feature
- Refactor




- Compiles?


Motivation 2: Productivity




Motivation 2: Productivity




Motivation 2: Productivity



Motivation 2: Productivity



Motivation 2: Productivity



What is the latency of verification for large scientific models?

Some observations about human behavior:



- Risk of defects scales with magnitude of change per iteration
- Development time per iteration will be comparable to verification time

Some observations about human behavior:



- Risk of defects scales with magnitude of change per iteration
- Development time per iteration will be comparable to verification time

Conclusion:

Productivity is a nonlinear function of the cost of verification!

Motivation 3: The Limelight



Climate modeling has grown to be of extreme socioeconomic importance:

¹Pearce, Fred. "Top economist counts future cost of climate change."
NewScientist. 30 October 2006. [http://www.newscientist.com/article/
dn10405-top-economist-counts-future-cost-of-climate-change.html](http://www.newscientist.com/article/dn10405-top-economist-counts-future-cost-of-climate-change.html)

Motivation 3: The Limelight



Climate modeling has grown to be of extreme socioeconomic importance:

- ▶ Adaptation/mitigation strategies easily exceed \$100 trillion¹

¹Pearce, Fred. "Top economist counts future cost of climate change." NewScientist. 30 October 2006. <http://www.newscientist.com/article/dn10405-top-economist-counts-future-cost-of-climate-change.html>

Motivation 3: The Limelight



Climate modeling has grown to be of extreme socioeconomic importance:

- ▶ Adaptation/mitigation strategies easily exceed \$100 trillion¹
- ▶ Implications are politically sensitive/divisive

¹Pearce, Fred. "Top economist counts future cost of climate change." NewScientist. 30 October 2006. <http://www.newscientist.com/article/dn10405-top-economist-counts-future-cost-of-climate-change.html>

Motivation 3: The Limelight



Climate modeling has grown to be of extreme socioeconomic importance:

- ▶ Adaptation/mitigation strategies easily exceed \$100 trillion¹
- ▶ Implications are politically sensitive/divisive
- ▶ **Scientific integrity is essential!**

¹Pearce, Fred. "Top economist counts future cost of climate change." NewScientist. 30 October 2006. <http://www.newscientist.com/article/dn10405-top-economist-counts-future-cost-of-climate-change.html>

Motivation 3: The Limelight



Climate modeling has grown to be of extreme socioeconomic importance:

- ▶ Adaptation/mitigation strategies easily exceed \$100 trillion¹
- ▶ Implications are politically sensitive/divisive
- ▶ **Scientific integrity is essential!**

Software management and testing have not kept pace

¹Pearce, Fred. "Top economist counts future cost of climate change." NewScientist. 30 October 2006. <http://www.newscientist.com/article/dn10405-top-economist-counts-future-cost-of-climate-change.html>

Motivation 3: The Limelight



Climate modeling has grown to be of extreme socioeconomic importance:

- ▶ Adaptation/mitigation strategies easily exceed \$100 trillion¹
- ▶ Implications are politically sensitive/divisive
- ▶ **Scientific integrity is essential!**

Software management and testing have not kept pace

- ▶ Strong *validation* against data, but ...

¹Pearce, Fred. "Top economist counts future cost of climate change." NewScientist. 30 October 2006. <http://www.newscientist.com/article/dn10405-top-economist-counts-future-cost-of-climate-change.html>

Motivation 3: The Limelight



Climate modeling has grown to be of extreme socioeconomic importance:

- ▶ Adaptation/mitigation strategies easily exceed \$100 trillion¹
- ▶ Implications are politically sensitive/divisive
- ▶ **Scientific integrity is essential!**

Software management and testing have not kept pace

- ▶ Strong *validation* against data, but ...
- ▶ Validation is a blunt tool for isolating issues in coupled systems

¹Pearce, Fred. "Top economist counts future cost of climate change." NewScientist. 30 October 2006. <http://www.newscientist.com/article/dn10405-top-economist-counts-future-cost-of-climate-change.html>

Motivation 3: The Limelight



Climate modeling has grown to be of extreme socioeconomic importance:

- ▶ Adaptation/mitigation strategies easily exceed \$100 trillion¹
- ▶ Implications are politically sensitive/divisive
- ▶ **Scientific integrity is essential!**

Software management and testing have not kept pace

- ▶ Strong *validation* against data, but ...
- ▶ Validation is a blunt tool for isolating issues in coupled systems
- ▶ Validation cannot detect certain types of software defects:

¹Pearce, Fred. "Top economist counts future cost of climate change." NewScientist. 30 October 2006. <http://www.newscientist.com/article/dn10405-top-economist-counts-future-cost-of-climate-change.html>

Motivation 3: The Limelight



Climate modeling has grown to be of extreme socioeconomic importance:

- ▶ Adaptation/mitigation strategies easily exceed \$100 trillion¹
- ▶ Implications are politically sensitive/divisive
- ▶ **Scientific integrity is essential!**

Software management and testing have not kept pace

- ▶ Strong *validation* against data, but ...
- ▶ Validation is a blunt tool for isolating issues in coupled systems
- ▶ Validation cannot detect certain types of software defects:
 - ★ Those that are only exercised in rare/future regimes

¹Pearce, Fred. "Top economist counts future cost of climate change." NewScientist. 30 October 2006. <http://www.newscientist.com/article/dn10405-top-economist-counts-future-cost-of-climate-change.html>

Motivation 3: The Limelight



Climate modeling has grown to be of extreme socioeconomic importance:

- ▶ Adaptation/mitigation strategies easily exceed \$100 trillion¹
- ▶ Implications are politically sensitive/divisive
- ▶ **Scientific integrity is essential!**

Software management and testing have not kept pace


- ▶ Strong *validation* against data, but ...
- ▶ Validation is a blunt tool for isolating issues in coupled systems
- ▶ Validation cannot detect certain types of software defects:
 - ★ Those that are only exercised in rare/future regimes
 - ★ Those which change results below detection threshold

¹Pearce, Fred. "Top economist counts future cost of climate change." NewScientist. 30 October 2006. <http://www.newscientist.com/article/dn10405-top-economist-counts-future-cost-of-climate-change.html>

Outline



- 1 Motivations
- 2 Testing
- 3 Testing Frameworks
- 4 Test-driven Development (TDD)
- 5 What about numerical software?



Test Harness - work in safety

Collection of tests that constrain system



Test Harness - work in safety

Collection of tests that constrain system

- Detects unintended changes



Test Harness - work in safety

Collection of tests that constrain system

- Detects unintended changes
- **Localizes defects**



Test Harness - work in safety

Collection of tests that constrain system

- Detects unintended changes
- Localizes defects
- **Improves developer confidence**



Test Harness - work in safety

Collection of tests that constrain system

- Detects unintended changes
- Localizes defects
- Improves developer confidence
- **Decreases risk from change**



Test Harness - work in safety

Collection of tests that constrain system

- Detects unintended changes
- Localizes defects
- Improves developer confidence
- Decreases risk from change
- **Inexpensive compared to application (ideally)**



Do you write legacy code?




Do you write legacy code?



"The main thing that distinguishes legacy code from non-legacy code is tests, or rather a lack of tests."

Michael Feathers

Working Effectively with Legacy Code




Do you write legacy code?



"The main thing that distinguishes legacy code from non-legacy code is tests, or rather a lack of tests."

Michael Feathers

Working Effectively with Legacy Code



"Fear is the path to the dark side. Fear leads to anger. Anger leads to hate. Hate leads to suffering." - Yoda



starwars.wikia.com


Do you write legacy code?



"The main thing that distinguishes legacy code from non-legacy code is tests, or rather a lack of tests."

Michael Feathers

Working Effectively with Legacy Code



- Lack of tests leads to fear of introducing subtle bugs and/or changing things inadvertently.
- Also is a barrier to involving pure software engineers in the development of our models.

Excuses, excuses ...



Excuses, excuses ...



- Takes too much time to write tests

Excuses, excuses ...



- Takes too much time to write tests
- Too difficult to maintain tests

Excuses, excuses ...



- Takes too much time to write tests
- Too difficult to maintain tests
- It takes too long to run the tests

Excuses, excuses ...



- Takes too much time to write tests
- Too difficult to maintain tests
- It takes too long to run the tests
- It is not my job

Excuses, excuses ...



- Takes too much time to write tests
- Too difficult to maintain tests
- It takes too long to run the tests
- It is not my job
- Don't know correct behavior

Excuses, excuses ...



- Takes too much time to write tests
- Too difficult to maintain tests
- It takes too long to run the tests
- It is not my job
- Don't know correct behavior

<http://java.dzone.com/articles/unit-test-excuses>

- James Sugrue

- **Numeric/scientific code cannot be tested, because ...**

Desirable attributes for tests:



Desirable attributes for tests:

- Narrow/specific
 - ▶ Failure of a test localizes defect to small section of code.



Desirable attributes for tests:



- Narrow/specific
 - ▶ Failure of a test localizes defect to small section of code.
- Orthogonal to other tests
 - ▶ Each defect causes failure in one or only a few tests.

Desirable attributes for tests:



- Narrow/specific
 - ▶ Failure of a test localizes defect to small section of code.
- Orthogonal to other tests
 - ▶ Each defect causes failure in one or only a few tests.
- Complete
 - ▶ All functionality is covered by at least one test.
 - ▶ *Any defect is detectable.*

Desirable attributes for tests:



- Narrow/specific
 - ▶ Failure of a test localizes defect to small section of code.
- Orthogonal to other tests
 - ▶ Each defect causes failure in one or only a few tests.
- Complete
 - ▶ All functionality is covered by at least one test.
 - ▶ *Any defect is detectable.*
- Independent - *No side effects*
 - ▶ No STDOUT; temp files deleted; ...
 - ▶ Order of tests has no consequence.
 - ▶ Failing test does *not* terminate execution.



Desirable attributes for tests:



- Narrow/specific
 - ▶ Failure of a test localizes defect to small section of code.
- Orthogonal to other tests
 - ▶ Each defect causes failure in one or only a few tests.
- Complete
 - ▶ All functionality is covered by at least one test.
 - ▶ *Any defect is detectable.*
- Independent - *No side effects*
 - ▶ No STDOUT; temp files deleted; ...
 - ▶ Order of tests has no consequence.
 - ▶ Failing test does *not* terminate execution.
- Frugal
 - ▶ Execute quickly (think 1 millisecond)
 - ▶ Small memory, etc.

Desirable attributes for tests:



- Narrow/specific
 - ▶ Failure of a test localizes defect to small section of code.
- Orthogonal to other tests
 - ▶ Each defect causes failure in one or only a few tests.
- Complete
 - ▶ All functionality is covered by at least one test.
 - ▶ *Any defect is detectable.*
- Independent - *No side effects*
 - ▶ No STDOUT; temp files deleted; ...
 - ▶ Order of tests has no consequence.
 - ▶ Failing test does *not* terminate execution.
- Frugal
 - ▶ Execute quickly (think 1 millisecond)
 - ▶ Small memory, etc.
- Automated and repeatable

Desirable attributes for tests:




- Narrow/specific
 - ▶ Failure of a test localizes defect to small section of code.
- Orthogonal to other tests
 - ▶ Each defect causes failure in one or only a few tests.
- Complete
 - ▶ All functionality is covered by at least one test.
 - ▶ *Any defect is detectable.*
- Independent - *No side effects*
 - ▶ No STDOUT; temp files deleted; ...
 - ▶ Order of tests has no consequence.
 - ▶ Failing test does *not* terminate execution.
- Frugal
 - ▶ Execute quickly (think 1 millisecond)
 - ▶ Small memory, etc.
- Automated and repeatable
- Clear intent

Outline




- 1 Motivations
- 2 Testing
- 3 Testing Frameworks**
- 4 Test-driven Development (TDD)
- 5 What about numerical software?

Testing Frameworks




Testing Frameworks



- Key services
 - ▶ Provide methods to succinctly express expected values
call `assertEquals(120, factorial(5))`
 - ▶ Register test procedures with framework
 - ▶ Execute test procedures, and summarize success/failure

Testing Frameworks




- Key services
 - ▶ Provide methods to succinctly express expected values

```
call assertEquals(120, factorial(5))
```
 - ▶ Register test procedures with framework
 - ▶ Execute test procedures, and summarize success/failure
- Generally specific/customized to programming language (xUnit)
 - ▶ Java (JUnit)
 - ▶ Python (pyUnit)
 - ▶ C++ (cxxUnit, cppUnit)
 - ▶ Fortran (FRUIT, FUNIT, **pFUnit**)

Frameworks and IDE's



Frameworks are often integrated within IDEs for even greater ease of use:



Outline



- 1 Motivations
- 2 Testing
- 3 Testing Frameworks
- 4 Test-driven Development (TDD)**
- 5 What about numerical software?

Today I am here to sell you something ...





Old paradigm:

- Tests written by separate team (black box testing)
- Tests written *after* implementation



Old paradigm:

- Tests written by separate team (black box testing)
- Tests written *after* implementation

Consequences:

- Testing schedule compressed for release
- Defects detected late in development (\$\$)



Old paradigm:

- Tests written by separate team (black box testing)
- Tests written *after* implementation


Consequences:

- Testing schedule compressed for release
- Defects detected late in development (\$\$)

New paradigm - Test-driven development (TDD)

- Developers write the tests (white box testing)
- Tests written *before* production code
- *Enabled by emergence of strong unit testing frameworks*

The TDD cycle



Benefits of TDD



Benefits of TDD



- High reliability - (excellent test coverage)

Benefits of TDD



- High reliability - (excellent test coverage)
- Always “ready-to-ship”

Benefits of TDD



- High reliability - (excellent test coverage)
- Always “ready-to-ship”
- Tests act as *maintainable* documentation
 - ▶ Tests show real use case scenarios
 - ▶ Tests are continuously exercised (TDD process)

Benefits of TDD



- High reliability - (excellent test coverage)
- Always “ready-to-ship”
- Tests act as *maintainable* documentation
 - ▶ Tests show real use case scenarios
 - ▶ Tests are continuously exercised (TDD process)
- Reduced stress / improved confidence

Benefits of TDD



- High reliability - (excellent test coverage)
- Always “ready-to-ship”
- Tests act as *maintainable* documentation
 - ▶ Tests show real use case scenarios
 - ▶ Tests are continuously exercised (TDD process)
- Reduced stress / improved confidence
- Improved productivity

Benefits of TDD



- High reliability - (excellent test coverage)
- Always “ready-to-ship”
- Tests act as *maintainable* documentation
 - ▶ Tests show real use case scenarios
 - ▶ Tests are continuously exercised (TDD process)
- Reduced stress / improved confidence
- Improved productivity
- Predictable schedule

Benefits of TDD



- High reliability - (excellent test coverage)
- Always “ready-to-ship”
- Tests act as *maintainable* documentation
 - ▶ Tests show real use case scenarios
 - ▶ Tests are continuously exercised (TDD process)
- Reduced stress / improved confidence
- Improved productivity
- Predictable schedule
- **High quality implementation?**
 - ▶ Emphasis on interfaces
 - ▶ Testable code is cleaner code.

Outline



- 1 Motivations
- 2 Testing
- 3 Testing Frameworks
- 4 Test-driven Development (TDD)
- 5 What about numerical software?

Unique testing challenges of numerical software



Unique testing challenges of numerical software



- Presence of numerical error (roundoff or truncation)

Unique testing challenges of numerical software



- Presence of numerical error (roundoff or truncation)
- Lack of known (nontrivial) solutions

Unique testing challenges of numerical software



- Presence of numerical error (roundoff or truncation)
- Lack of known (nontrivial) solutions
- Irreducible complexity?

Unique testing challenges of numerical software



- Presence of numerical error (roundoff or truncation)
- Lack of known (nontrivial) solutions
- Irreducible complexity?
- Stability - issues that occur after long integrations

Unique testing challenges of numerical software



- Presence of numerical error (roundoff or truncation)
- Lack of known (nontrivial) solutions
- Irreducible complexity?
- Stability - issues that occur after long integrations
- Emergent properties of coupled systems (including stability)

Numerical error



Testing numerical algorithms requires an *accurate* estimate for tolerance:

Numerical error



Testing numerical algorithms requires an *accurate* estimate for tolerance:

- If too *low*, then test fails for uninteresting reasons.

Numerical error



Testing numerical algorithms requires an *accurate* estimate for tolerance:

- If too *low*, then test fails for uninteresting reasons.
- If too *high*, then the test has no teeth.

Numerical error



Testing numerical algorithms requires an *accurate* estimate for tolerance:

- If too *low*, then test fails for uninteresting reasons.
- If too *high*, then the test has no teeth.

Unfortunately ...

- Error estimates are seldom available for complex algorithms

Numerical error



Testing numerical algorithms requires an *accurate* estimate for tolerance:

- If too *low*, then test fails for uninteresting reasons.
- If too *high*, then the test has no teeth.

Unfortunately ...

- Error estimates are seldom available for complex algorithms
- Best case scenario is usually some asymptotic form with unknown leading coefficient!

TDD techniques in presence of numerical error



TDD techniques in presence of numerical error



Sources:

TDD techniques in presence of numerical error



Sources:

- 1 Approximation

TDD techniques in presence of numerical error



Sources:

- ① Approximation
- ② Nonlinearity - e.g., small denominators

TDD techniques in presence of numerical error



Sources:

- ① Approximation
- ② Nonlinearity - e.g., small denominators
- ③ Composition and iteration

TDD techniques in presence of numerical error



Sources:

- ① Approximation
- ② Nonlinearity - e.g., small denominators
- ③ Composition and iteration

Mitigation strategies:

TDD techniques in presence of numerical error



Sources:

- ① Approximation
- ② Nonlinearity - e.g., small denominators
- ③ Composition and iteration

Mitigation strategies:

- ① Approximation:
 - ▶ Test the *implementation* not the *math* (i.e., duck)
 - ▶ Often more appropriate as *validation* test

TDD techniques in presence of numerical error



Sources:

- ① Approximation
- ② Nonlinearity - e.g., small denominators
- ③ Composition and iteration

Mitigation strategies:

- ① Approximation:
 - ▶ Test the *implementation* not the *math* (i.e., duck)
 - ▶ Often more appropriate as *validation* test
- ② Nonlinearity - use tailored synthetic inputs:
 - ▶ E.g., choose values to make denominators $O(1)$

TDD techniques in presence of numerical error



Sources:

- ① Approximation
- ② Nonlinearity - e.g., small denominators
- ③ Composition and iteration

Mitigation strategies:

- ① Approximation:
 - ▶ Test the *implementation* not the *math* (i.e., duck)
 - ▶ Often more appropriate as *validation* test
- ② Nonlinearity - use tailored synthetic inputs:
 - ▶ E.g., choose values to make denominators $O(1)$
- ③ Composition/iteration: test steps in isolation:
 - ▶ Allows choice of tailored synthetic inputs at *each* step
 - ▶ Test iteration *logic* not *accumulation*

Example - testing layers in isolation




Consider the main loop of a climate model:

Do test

- Proper # of iterations
- Pieces called in correct order
- Passing of data between components

Do NOT test

- Calculations inside components



Easier with *objects* than with procedures.

TDD without “known” solutions



Consider the apparent contradiction:

TDD without “known” solutions



Consider the apparent contradiction:

- Complex algorithms yield few nontrivial analytic solutions.
- Implementations are not random keystrokes

TDD without “known” solutions



Consider the apparent contradiction:

- Complex algorithms yield few nontrivial analytic solutions.
- Implementations are not random keystrokes

How can this be?

- Apparently analytic solutions are *unnecessary*!
- Algorithms are only sequences of steps

TDD without “known” solutions



Consider the apparent contradiction:

- Complex algorithms yield few nontrivial analytic solutions.
- Implementations are not random keystrokes

How can this be?

- Apparently analytic solutions are *unnecessary*!
- Algorithms are only sequences of steps

Tests should only verify translation, not validity of algorithms

- Test each step in isolation
- Tailor synthetic inputs to yield “obvious” results for each step
- Separately test that steps are *composed* correctly

TDD without “known” solutions



Consider the apparent contradiction:

- Complex algorithms yield few nontrivial analytic solutions.
- Implementations are not random keystrokes

How can this be?

- Apparently analytic solutions are *unnecessary*!
- Algorithms are only sequences of steps

Tests should only verify translation, not validity of algorithms

- Test each step in isolation
- Tailor synthetic inputs to yield “obvious” results for each step
- Separately test that steps are *composed* correctly

But still use high level analytic solutions as tests when available!

TDD and irreducible complexity



"Aren't my tests as complex as the implementation?"
"Aren't my tests just repeating logic in the implementation?"

TDD and irreducible complexity



"Aren't my tests as complex as the implementation?"

"Aren't my tests just repeating logic in the implementation?"

- Short answer: **No**

TDD and irreducible complexity



“Aren’t my tests as complex as the implementation?”

“Aren’t my tests just repeating logic in the implementation?”

- Short answer: **No**
- Long answer: Well, they shouldn’t be ...

TDD and irreducible complexity



"Aren't my tests as complex as the implementation?"

"Aren't my tests just repeating logic in the implementation?"

- Short answer: **No**
- Long answer: Well, they shouldn't be ...
 - ▶ Unit tests use tailored inputs
 - ▶ Implementation handles arbitrary values

TDD and irreducible complexity



“Aren’t my tests as complex as the implementation?”

“Aren’t my tests just repeating logic in the implementation?”

- Short answer: **No**
- Long answer: Well, they shouldn’t be ...
 - ▶ Unit tests use tailored inputs
 - ▶ Implementation handles arbitrary values
 - ▶ Models *couple* many components/algorithms \Rightarrow exponential complexity
 - ▶ Tests are *decoupled* \Rightarrow linear complexity

TDD and emergent properties



- TDD generally does not directly address such issues

TDD and emergent properties



- TDD generally does not directly address such issues
- If long integration gets bad results, (at least) one of the following must hold:

TDD and emergent properties



- TDD generally does not directly address such issues
- If long integration gets bad results, (at least) one of the following must hold:
 - ① Individual steps have defects \Rightarrow add unit tests

TDD and emergent properties



- TDD generally does not directly address such issues
- If long integration gets bad results, (at least) one of the following must hold:
 - ① Individual steps have defects \Rightarrow add unit tests
 - ② Coupling/compositions have defects \Rightarrow add tests

TDD and emergent properties



- TDD generally does not directly address such issues
- If long integration gets bad results, (at least) one of the following must hold:
 - ① Individual steps have defects \Rightarrow add unit tests
 - ② Coupling/compositions have defects \Rightarrow add tests
 - ③ System lacks sufficient accuracy \Rightarrow increase accuracy

TDD and emergent properties



- TDD generally does not directly address such issues
- If long integration gets bad results, (at least) one of the following must hold:
 - ① Individual steps have defects \Rightarrow add unit tests
 - ② Coupling/compositions have defects \Rightarrow add tests
 - ③ System lacks sufficient accuracy \Rightarrow increase accuracy
 - ④ Insufficient physical fidelity - science issue (testing is not magic)

TDD and emergent properties



- TDD generally does not directly address such issues
- If long integration gets bad results, (at least) one of the following must hold:
 - ① Individual steps have defects \Rightarrow add unit tests
 - ② Coupling/compositions have defects \Rightarrow add tests
 - ③ System lacks sufficient accuracy \Rightarrow increase accuracy
 - ④ Insufficient physical fidelity - science issue (testing is not magic)
- At the very least, TDD can reduce the frequency with which one must perform long integrations

TDD and performance



- TDD emphasizes small fine-grained implementations
- Such implementations are often sub-optimal in terms of performance
- Optimized implementations typically fuse multiple operations

TDD and performance



- TDD emphasizes small fine-grained implementations
- Such implementations are often sub-optimal in terms of performance
- Optimized implementations typically fuse multiple operations
- Solution: bootstrapping
 - ▶ Use initial TDD solution as unit test for optimized implementation
 - ▶ Maintain *both* implementations (and tests)

TDD and the burden of legacy code



- TDD was created for developing *new* code, and does not directly speak to testing legacy code.
- Best practice for incorporating new functionality:
 - ▶ Avoid *wedging* new logic directly into existing large procedure
 - ▶ Use TDD to develop separate facility for new computation
 - ▶ Just *call* the new procedure from the large legacy procedure
- Refactoring
 - ▶ Use unit tests to constrain existing behavior
 - ▶ Very difficult for large procedures
 - ▶ Try to find small pieces to pull out into new procedures

Acknowledgements



This work has been supported by

- NASA's High End Computing (HEC) program and
- NASA's Modeling, Analysis, and Prediction (MAP) Program.

Summary



- TDD can be applied to scientific models
- Tool support exists (unabashed plug for pFUnit tutorial)
- Cost/benefit analysis for numerical software needs further study

Tom Clune

Thomas.L.Clune@nasa.gov

<http://pfunit.sourceforge.net>

Test-Driven Development: By Example - Kent Beck